




Ref. Certif. No.

DK-92051-M2-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply Module or Rack System or Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the factory	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	100-109VAC, 16.4A 110-199VAC, 17.1A 200-240VAC, 12.3A See test report for details
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	RCP-2000-x, RSP-2000-x, RKP-6K1Uy-x, RKP-6K1Uy-CMU1-x, RKP-1Uy, RKP-1Uy-CMU1 <input checked="" type="checkbox"/> Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to: EN 62368-1:2014, EN 62368-1:2014/A11:2017 National Differences specified in the CB Test Report. The report was revised to include technical modifications. <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	2022-0530-01-1-A2-C0 issued on 2023-02-13

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-02-15
Original Issue Date: 2020-01-10

Signature:
Jan-Erik Storgaard



Ref. Certif. No.

DK-92051-M2-UL

Factory(ies):

SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, China.

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD
No.11 Jingu South Road,Huadu District, Guangzhou Guangdong 510890, China

YONGDEN TECHNOLOGY CORP
345 MacArthur Hwy, Tabang, Guiguinto, Bulacan 3015, Philippines

SuZhou MEAN WELL Technology Co., Ltd.
No.269, Changping Rd, Huangdai Town Xiangcheng District, Suzhou, Jiangsu, 215152, China

MEAN WELL INDIA ELECTRONICS PRIVATE LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA, Bengaluru (Bangalore) Urban, Karnataka, 560058, India

Additional Model Detail(s):

Switching Power Supply Module:
RCP-2000-x (x= 12, 24 or 48)

Switching Power Supply:
RSP-2000-x (x= 12, 24, 36, 36BN, 48 or 48RS, 48ADT for different output voltage)

Rack System:
RKP-6K1Uy-x, RKP-6K1Uy-CMU1-x, RKP-1Uy, RKP-1Uy-CMU1 (x= 12, 24 or 48 for different output voltage; y= I or T for different input connection)

Summary of Modifications:

- 1) Revised factory information;
 - 2) Alternate model RSP- 2000-x (x= 48ADT);
 - 3) Revised table 4.1.2 List of critical components;
 - 4) Revised National Differences.;
 - 5) Revise Transfoemre spec (T1, T2) (P/N: TF-2095, TF-2096);
- See test report for details.

Additional information (if necessary)



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-02-15

Signature:

Original Issue Date: 2020-01-10

Jan-Erik Storgaard




Ref. Certif. No.

DK-92051-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply Module or Rack System or Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the factory	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan <input checked="" type="checkbox"/> Additional Information on page 2
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	100-109VAC, 16.4A 110-199VAC, 17.1A 200-240VAC, 12.3A See test report for details
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	RCP-2000-x, RSP-2000-x, RKP-6K1Uy-x, RKP-6K1Uy-CMU1-x, RKP-1Uy, RKP-1Uy-CMU1 <input checked="" type="checkbox"/> Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	Additionally evaluated to: EN 62368-1:2014, EN 62368-1:2014/A11:2017 National Differences specified in the CB Test Report. The report was revised to include technical modifications. <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4789149060-1 Am1 issued on 2022-08-16

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2022-08-19
Original Issue Date: 2020-01-10

Signature: 
Jan-Erik Storgaard



Ref. Certif. No.

DK-92051-M1-UL

Factory(ies):

SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park,
Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152,
China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD
No.11 Jingu South Road,Huadu District, Guangzhou Guangdong 510890,
China

YONGDEN TECHNOLOGY CORP
345 MacArthur Hwy, Tabang, Guiguinto, Bulacan 3015,
Philippines

Additional Model Detail(s):

Switching Power Supply Module:
RCP-2000-x (x= 12, 24 or 48)

Switching Power Supply:
RSP-2000-x (x= 12, 24, 36, 36BN, 48 or 48RS for different output voltage)

Rack System:
RKP-6K1Uy-x, RKP-6K1Uy-CMU1-x, RKP-1Uy, RKP-1Uy-CMU1 (x= 12, 24 or 48 for different output voltage; y= I or T for different input connection)

Summary of Modifications:

- Addition of information regarding the BS standard on GPI section, see test report for details.
- Update critical components table, input tests table, and factory locations, see test report for details.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-08-19
Original Issue Date: 2020-01-10

Signature: 
Jan-Erik Storgaard

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product	Switching Power Supply Module or Rack System or Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Name and address of the factory	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891 Taiwan
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	100-109VAC, 16.4A 110-199VAC, 17.1A 200-240VAC, 12.3A See test report for details
Trademark / Brand (if any)	
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	RCP-2000-x, RKP-1Uy-CMU1, RKP-1Uy, See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4789149060-1 Original issued on 2019-12-30

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Date: 2020-01-10

Signature:

Jan-Erik Storgaard

For full legal entity names see www.ul.com/ncbnames



Ref. Certif. No.

DK-92051-UL

Model Details:

Switching Power Supply Module:
RCP-2000-x (x= 12, 24 or 48)

Switching Power Supply:
RSP-2000-x (x= 12, 24, 36, 36BN, 48 or 48RS for different output voltage)

Rack System:
RKP-6K1Uy-x, RKP-6K1Uy-CMU1-x, RKP-1Uy, RKP-1Uy-CMU1
(x= 12, 24 or 48 for different output voltage; y= I or T for different input connection)

Factories:
SuZhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152
China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD HUADU BRANCH.
No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou Guangdong 510890
China

YONGDEN TECHNOLOGY CORPORATION
345 MacArthur HighWay Tabang, Guiguinto, Bulacan, 3015
Philippines

Additional Information:
Additionally evaluated to EN 62368-1:2014/A11:2017.
National Difference specified in the CB Test Report.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2020-01-10

Signature:

Jan-Erik Storgaard